

Material Safety Data Sheet

# 1. Chemical Product & Company Data

HMIS

NFPA



1. Chemical Product & Company Data	Revision Date: November 14, 2012			
Product Name: OdorX C.O.C.™ Crystal Odor Counteractant (Commercial)				
Manufactured for:	Supplier:			
ProRestore Products 1016 Greentree Rd., Suite 115 Pittsburgh, PA 15220 Telephone: 412-264-8340				
CHEMICAL EMERGENCY: INFOTRAC (US) 1-800-535-5053 (INT'L) 1-800-323-3500				

# 2. Ingredients

Name	CAS#	UN #	% by volume
Clay	n. av.		40-70
Glass Slag	n. av.		10-30
Fragrance - Aromatics (aldehydes, esters & ketones) and alcohols	n. av.		10-30
Synthetic isoparaffinic hydrocarbon blend	64742-47-8		5-10
Monochlorotoluene	25168-05-2		1-5
Both clays and to a minor extent slags, contain free crystalline silica (CAS # 14808-60-7) This MSDS pertains to the following "Crystal Odor Counteractants": Cherry and Citrus			

### 3. Hazards Identifcation

### **Emergency Overview**

Inhalation - Dust inhalation hazard.

Caution- Product contains a natural earth material in which naturally occurring silica in the form of guartz is present. Longterm inhalation of dust containing crystalline silica may cause chronic lung damage (silicosis). Respirable crystalline silica is known to the State of California to cause cancer. IARC (International Agency for Research on Cancer concludes that there is "sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz".

Under conditions of normal use, exposure to respirable crystalline silica in this product is below the OSHA Permissible Exposure Limit and the ACGIH Threshold Limit Value®. To reduce exposure when applying product within confined spaces, use ventilation and NIOSH or MSHA approved respirator.

NOTE: Hazard information is based on the characteristics of the components of this mixture.

Inhalation - Exposure to dust containing crystalline silica may cause eye and respiratory irritation.

Skin and Eye Contact - Minor irritation of skin or eyes may occur as a result of contact with the fragrance absorbed in this material.

### 4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.

Inhalation - Remove person to fresh air. Any dust in the throat or nasal passages should clear naturally. Seek medical attention if irritation persists.

Eve Contact - Flush eves with water for 15 minutes. Seek medical attention if irritation develops.

Skin Contact - Wash skin with mild soap and water. Seek medical attention if irritation develops.

### 5. Fire Fighting Measures

Flammability Yes No X	If yes, under which conditions?		
Flashpoint:	Upper flammable limit % by volume	Lower flammable limit % by volume	
Autoignition temperature	Hazardous combustion products	Explosion data	
Means of extinction:			

#### 6. Accidental Release Measures

Not applicable to product.

### 7. Handling & Storage

Methods of application for this product are designed to minimize or eliminate contact with the product. Exposure to respirable dust is not expected during the normal handling or application of this product. Should contact with the product be necessary the use of gloves to handle the product is recommended. Minimize physical handling of the product in order to eliminate the generation of dust. If dusty conditions are encountered the use of respiratory protection is recommended.

### 8. Exposure Controls & Personal Protection

	Personal Prote	ective Equip	oment	
Gloves Natural Rubber	Respirator NIOSH TC-23C for organic vapors + HEPA filter		pors +	Eye Goggles or full face respirator
Footwear	Clothing			Other
n. ap.	Coveralls or equivalent			n. ap.
	Exposure	e Guidelines	6	
*none established for product*				
	OSHA A		ŀ	ACGIH
	TWA	STEL	TWA	STEL
Silica	0.1 mg/m <sup>3</sup>		0.1 mg/m	1 <sup>3</sup>
Limit values in other countries:				
Silica	UK		hr TWA)	0.1 mg/m <sup>3</sup>
	Australia	(8 hr	TWA)	0.1 mg/m <sup>3</sup>

# 9. Physical and Chemical Properties

Physical state	Odor and appearance		
Solid	Black and beige granules, sweet fruit odor		
Odor threshold (ppm) n. av.	Vapor pressure (mm Hg)Vapor density (Air=1)n. av.n. av.		
Evaporation	Boiling point	Freezing point	
(butyl acetate = 1) n. ap.	n. av.	n. av.	
pH	Specific gravity	Coefficient water/oil distribution	
n. ap.	~ 2.5	n. av.	
Solubility in water 0%	Viscosity n. av.	% Volatiles (by weight) n. av.	

# 10. Stability and Reactivity

Chemical Stability	If no, under			
Yes X No	which conditions?			
Incompatibility with other substances	If yes, under			
Yes No X	which conditions?			
Reactivity, and under Stable under normal conditions. what conditions?				
Hazardous decom- n. ap. position products?				

# **11. Toxicological Information**

Route of Entry Skin Contact X Sk	in Absorption Eye Co	ntact X Inhalation X	Ingestion X		
None available for product. Silica is listed as a probable Human carcinogen by the International Agency for Research on Cancer (IARC)					
Carcinogenicity*	Mutagenicity	Teratogenicity	Reproductive toxicity		
No	No	No	No		
Synergistic products	Sensitization	Neurotoxicity	Target organs		
No	No	No	Respiratory system		

<sup>^</sup>Under conditions of normal use, exposure to respirable crystalline silica in this product is below the OSHA Permissible Exposure Limit and the ACGIH Threshold Limit Value®. To reduce exposure when applying product within confined spaces, use ventilation and NIOSH or MSHA approved respirator.

# 12. Ecological Information

n. ap.

#### 13. Disposal Considerations

Dispose of product in a solid waste landfill site.

### 14. Transport Information

Shipping Name: DEODORANTS, N.O.I. Hazard Class:

UN Identification #:

### 15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product contains an ingredient which is classified as a **carcinogen** under 29 CFR 1910.1200 Controlled Products Regulations (Can.) and CA Proposition 65.

WHMIS classification D2A

**R phrases:** R22. R36/37/38 **S phrases:** S2, S3/7/9, S13, S20/21, S29, S38, S36/37/39, S62

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): WARNING: This product contains respirable chrystalline silica which is known to the State of California to cause cancer. WARNING: This product contains chemicals known to the state of California to cause cancer.

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

#### 16. Other Information

This product is a commercial deodorizing compound.

Abbreviations: n. av. = not available mm Hg = millimeters of Mercury COC = Cleveland Open Cup LD = Lethal Dose

n. ap. = not applicable PMCC = Pensky Martens Closed Cup TWA = Time Weighted Average LC = Lethal Concentration ppm = parts per million TCC = Tagliabue Closed Cup STEL = Short Term Exposure Limit CS = centistokes

This information is furnished without warranty, expressed or implied except that it is accurate to the best knowledge of ProRestore Products. The data and information on this sheet relates only to the specific material designated herein. ProRestore Products assumes no legal responsibility for use or reliance upon this data.