### **MSDS** Material Safety Data Sheet Prochem



#### **Power Solvent**

MSDS Number: B167

Revision Date: July 7, 2011

Page 1 of 4

1

#### **PRODUCT AND COMPANY IDENTIFICATION**

#### **Manufacturer**

PROCHEM Kärcher North America 325 S. Price Road Chandler, AZ 85224

Contact: Prochem Telephone Number: 480-899-7000 FAX Number: 480-786-9538 E-Mail: info@prochem.com Web www.prochem.com

Product Name:	Power Solvent
Revision Date:	July 7, 2011
MSDS Number:	B167

#### Emergency Telephone: (800) 535-5053 [Infotrac]

2	HAZARDS IDENTIFICATION
Route of Entry:	Eyes; Skin; Inhalation; Ingestion;
Target Organs:	Eyes; Skin;
Inhalation:	Inhalation of the dust may cause coughing and sneezing.
Skin Contact:	No more than slightly toxic or slightly irritating based on toxicity studies. Prolonged contact with the dry powder may cause drying or chapping of the skin.
Eye Contact:	No more than slightly irritating based on toxicity studies. The dry powder may cause foreign body irritation in some individuals.
Ingestion:	Is not toxic if swallowed based on toxicity studies. No significant adverse health effects are expected to develop if only small amounts (less than a mouthful) are swallowed. Swallowing large amounts may cause abdominal discomfort and diarrhea.
HMIS <sup>®</sup> Rating H1/	F1/PH0

NFPA-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 1

#### 3

**COMPOSITION/INFORMATION ON INGREDIENTS** 

#### Ingredients:

CAS # Percent Chemical Name 872504 | <3% | n-Methylpyrrolidone

OSHA Regulatory Status:

This MSDS contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

## **MSDS** Material Safety Data Sheet Prochem



#### Power Solvent

MSDS Number: B167

Revision Date: July 7, 2011

Page 2 of 4

4	FIRST AID MEASURES
Inhalation:	If symptoms develop, move victim to fresh air.
Skin Contact:	Wash with soap and water.
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.
Ingestion:	Immediate first aid is not likely to be required. A physician or Poison Control Center can be contacted for advice.

5	FIRE FIGHTING
3	FIRE FIGHTING

Flash Point: Flash Point Method:

6

152°F Closed Cup

**MEASURES** 

Wear self contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

#### ACCIDENTAL RELEASE MEASURES

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container. Ventilate area and wash spill site after material pickup is complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

# 7 HANDLING AND STORAGE Handling Precautions: Avoid contact with eyes, skin, or clothing; Consider normal working hygiene. Handle with care and avoid spillage on the floor (slippage). Keep away from sources of ignition; wash thoroughly after handling. Storage Requirements: Store out of reach of children; keep container closed; store in a cool well-ventilated place away from strong oxidizing or alkaline product.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION	
Engineering Control Protective Equipmer Exposure Guidelines	t: HMIS PP, B   Safety glasses, Gloves	

## **MSDS** Material Safety Data Sheet



	F	Power Solvent	
MSDS Number: B167			Revision Date: July 7, 2011
			Page 3 of 4
9	PHYSICAL AND CHEMIC	AL PROPERTIES	
Appearance:	Clear		
Physical State:	Liquid	Boiling Point:	N/D
Odor:	Solvent	Freezing/Melting Pt.:	N/D
pH:	N/A	Solubility:	Soluble
Vapor Pressure:	N/D	Spec Grav./Density:	6.91
Vapor Density:	N/D		
Heat Value:	N/D		
VOC:	3%		
Evap. Rate:	N/D		
Bulk Density:	N/D		
Octanol:	N/A		
Molecular Weight:	N/A		
Particle Size:	N/A		
Softening Point:	N/A		
Viscosity:	N/D		
Percent Volatile:	N/D		
Sat. Vap. Concentrat Molecular Formula:	.: N/D N/A		
wolecular Formula:	IN/A		

10	STABILITY AND REACTIVITY	
Stability:		Product is stable under normal conditions.
Conditions to avoid:		None Known
Materials to avoid (in	compatability):	None Known
Hazardous Decompo	sition products:	Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymeriz	zation:	Will not occur.

#### **TOXICOLOGICAL INFORMATION**

#### **Toxicity Data:**

11

n-Methylpyrrolidone 872-50-4

Oral ( LD 50): 3914 mg/kg - Rat

Inhalation ( LC 50): Not listed on RTECS

Skin irritation: No data available

Eye irritation: Moderate - Rabbit

Sensitation: Not considered an occupational sensitizer

# **MSDS** Material Safety Data Sheet Prochem



**Power Solvent** 

MSDS Number: B167

Revision Date: July 7, 2011

Page 4 of 4

12

#### **ECOLOGICAL INFORMATION**

Refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

13 **DISPOSAL CONSIDERATIONS** 

Dispose of in accordance with local regulations.

14 **TRANSPORT INFORMATION** 

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.

15 **REGULATORY INFORMATION** 

COMPONENT / (CAS/PERCENT) / CODES

\*n-Methylpyrrolidone (872504 <3%) MASS, NJHS, PA, SARA313, CA Prop 65, WHMIS 1% **REGULATORY KEY DESCRIPTIONS** 

All components are listed on TSCA

CA Prop 65 = California Safe Drinking Water and Toxic Enforcement Act of 1986 MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances PA = PA Right-To-Know List of Hazardous Substances SARA313 = SARA 313 Title III Toxic Chemicals WHMIS= Workforce Hazardous Material Information System

16

**OTHER INFORMATION** 

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager

Phone Number: [480] 899-7000

END OF MSDS DOCUMENT