



## Material Safety Data Sheet

### 1. Chemical Product & Company Data

Product Name: <b>Degrease All E</b>	
Manufacturer: ProRestore Products 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340	Supplier:

### 2. Ingredients

Name	CAS #	UN #	% by volume
2-Butoxyethanol	111-76-2		10-30
Octylphenoxyethoxyethanol (nonionic surfactant)	9036-19-5		1-5
Disodium trioxosilicate pentahydrate	6834-92-0		1-5
Tetrapotassium Pyrophosphate	7320-34-5		1-5
Ammonium hydroxide	1336-21-6		1-5
Caustic Soda	1310-73-2		< 1

### 3. Hazards Identification

Emergency Overview
A pink liquid with a slight ammonia odor. Toxic by ingestion. Skin and eye irritant

NOTE: Hazard information is based on the characteristics of the components of this mixture.

**Ingestion** - May cause irritation in the mouth and stomach. Symptoms may include pain or burning sensation, coughing and vomiting, headache, dizziness and uncoordination

**Inhalation** - High vapor concentration may cause irritation in the mouth, nose and throat, possible chest pain and cough. May cause headache, nausea, dizziness and vomiting.

**Eye Contact** - Vapors or liquid splashed in eyes may cause irritation or damage to eye tissue.

**Skin Contact** - May cause skin irritation, product may be absorbed through the skin with symptoms similar to ingestion or inhalation.

### 4. First Aid

<p><b>Ingestion</b> - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.</p> <p><b>Inhalation</b> - Remove to fresh air. If irritation develops or persists seek medical attention.</p> <p><b>Eye Contact</b> - Flush eyes immediately with water for 15 minutes. Seek medical attention.</p> <p><b>Skin Contact</b> - Remove affected clothing. Flush with water for 15 minutes. If irritation develops seek medical attention.</p>
--

## Degrease All E

### 5. Fire Fighting Measures

Flammability Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		If yes, under which conditions?	
Flashpoint: > 200 °F (93.3 °C)		Upper flammable limit % by volume	Lower flammable limit % by volume
Autoignition temperature		Hazardous combustion products	Explosion data
Means of extinction:			

### 6. Accidental Release Measures

<p>Use sorbent material to contain spilled material.</p> <p>Use personal protective equipment.</p> <p>Do not allow material to contaminate watercourse or groundwater.</p> <p>Place waste material in appropriate containers for waste disposal.</p>
--

### 7. Handling & Storage

<p>Product is alkaline.</p> <p>Use personal protective equipment.</p> <p>Store in a well ventilated area.</p> <p>Keep from freezing.</p> <p>Do not mix this product with acids, oxidizing agents or reducing agents.</p>
--

### 8. Exposure Controls & Personal Protection

Personal Protective Equipment				
Gloves Natural Rubber	Respirator NIOSH TC-23C organic vapor respirator or equivalent		Eye Goggles	
Footwear n. ap.	Clothing Coveralls or equivalent		Other none	
Exposure Guidelines				
*none established for product*				
	OSHA		ACGIH	
	TWA	STEL	TWA	STEL
2-butoxyethanol	25 ppm		25 ppm	
Ammonia	25 ppm	35 ppm	25 ppm	35 ppm
Note - 2-butoxyethanol may be absorbed through the skin.				

## Degrease All E

### 9. Physical and Chemical Properties

Physical state Liquid	Odor and appearance Clear pink liquid with ammonia odor	
Odor threshold (ppm) n. av.	Vapor pressure (mm Hg) 20.7	Vapor density (Air=1) n. av.
Evaporation (butyl acetate = 1) 0.1	Boiling point 215.6 °F (102 °C)	Freezing point n. av.
pH 11.55	Specific gravity 1.034	Coefficient water/oil distribution n. av.
Solubility in water 100%	Viscosity @ 100.4 °F (38 °C) 1.16 cs	% Volatiles (by weight) 90%

### 10. Stability and Reactivity

Chemical Stability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If no, under which conditions?	
Incompatibility with other substances Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If yes, under which conditions? Avoid strong oxidizing and reducing agents. Avoid contact with acids.	
Reactivity, and under what conditions?	Stable under normal conditions. Will liberate vapors of nitric oxides and ammonia if heated to decomposition.	
Hazardous decomposition products?	Nitric oxides, ammonia, carbon dioxide, carbon monoxide.	

### 11. Toxicological Information

Route of Entry Skin Contact <input checked="" type="checkbox"/> Skin Absorption <input checked="" type="checkbox"/> Eye Contact <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/>			
Toxicological information is not available for the product			
Ammonium Hydroxide		LD50 (rat, oral) 350 mg/kg irritation (rabbit, eye) 44 ug severe	
Disodium monosilicate pentahydrate		LD50 (rat, oral) 1470 mg/kg; LD50 (rat, oral) 800 mg/kg irritation (rabbit, skin) 250 mg/24 hr.	
2-Butoxyethanol		LD50 (rat, oral) 470 mg/kg, LD50 (rabbit, oral) 300 mg/kg	
Carcinogenicity No	Mutagenicity No	Teratogenicity No	Reproductive toxicity No
Synergistic products No	Sensitization No	Neurotoxicity No	Target organs Eyes and Skin

### 12. Ecological Information

Octylphenoxypolyethoxyethanol (CAS 9036-19-5)	Aquatic effects 96 hr. Fathead Minnow LC50 8.9 mg/L
Ammonium Hydroxide	Aquatic toxicity rating TLm 96: 100 - 10 ppm

## Degrease All E

### 13. Disposal Considerations

Do not dispose of product in storm or sanitary sewer systems.  
Do not allow discharge into groundwater or a watercourse.  
If product is to be disposed of, contact a licensed or registered waste disposal firm to incinerate the product.

### 14. Transport Information

Shipping Name: CORROSIVE LIQUIDS, N.O.S. (CONTAINS AMMONIUM HYDROXIDE AND DISODIUM TRIOXOSILICATE)

Hazard Class: 8 (PACKING GROUP II)

UN Identification #: UN 1760

CONSUMER COMMODITY, ORM-D FOR GROUND SHIPMENTS, QUARTS ONLY

### 15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as **toxic and a skin and eye irritant** - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification **D1B D2B**

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

### 16. Other Information

HMIS (U.S.A.)

Health Hazard	1
Fire Hazard	1
Reactivity	0
Personal Protection	c

National Fire Protection Association (U.S.A.)



This product is a commercial cleaner and degreaser.

For chemical emergency during transportation call INFOTRAC (US) **1-800-535-5053** (INT'L) **1-352-323-3500**

Prepared by: ProRestore Products, Coraopolis, PA / Cliff Zlotnik

Phone No: 1-412-264-8340

Date: August 25, 2009

Abbreviations:

n. av. = not available  
mm Hg = millimeters of Mercury  
COC = Cleveland Open Cup  
LD = Lethal Dose

n. ap. = not applicable  
PMCC = Pinsky Martens Closed Cup  
TWA = Time Weighted Average  
LC = Lethal Concentration

ppm = parts per million  
TCC = Tagliabue Closed Cup  
STEL = Short Term Exposure Limit  
CS = centistokes