## MSDS Material Safety Data Sheet Prochem



### **Axiom Clean Powder Detergent**

MSDS Number: S779 Revision Date: January 18, 2011

Page 1 of 4

#### PRODUCT AND COMPANY IDENTIFICATION

#### **Manufacturer**

**PROCHEM** Kärcher North America 325 S. Price Road Chandler, AZ 85224

Contact: Prochem

**Telephone Number:** 480-899-7000 **FAX Number:** 480-786-9538 E-Mail: info@prochem.com **Web** www.prochem.com

Axiom Clean Powder Detergent **Product Name:** 

**Revision Date:** January 18, 2011

**MSDS Number:** S779

Emergency Telephone: (800) 535-5053 [Infotrac]

#### 2 HAZARDS IDENTIFICATION

Route of Entry: Eye Contact, Skin Contact, Inhalation, Ingestion

**Target Organs:** Eves: Skin:

Inhalation: Minimal respiratory tract irritation may occur with exposure to a large amount of material

**Skin Contact:** May Cause Irritation. **Eye Contact:** May Cause Irritation.

Small amounts swallowed incidental to normal handling operations are not likely to cause injury; Ingestion:

swallowing amounts larger than that may cause temporary injury.

HMIS II-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0 + 1 Reactivity = 0 HMIS® Rating H1/F1/PH0

NFPA-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

#### **COMPOSITION/INFORMATION ON INGREDIENTS**

#### Ingredients:

3

CAS # Chemical Name Percent

497198 | <14% | Sodium Carbonate

#### 4 **FIRST AID MEASURES**

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

**Skin Contact:** Wash with soap and water. If irritation persists consult medical personnel.

**Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids

occasionally to facilitate irrigation. Get immediate medical attention.

Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured

party is conscious, give two glasses of water. Seek medical attention.

# MSDS Material Safety Data Sheet Prochem



#### **Axiom Clean Powder Detergent**

MSDS Number: S779 Revision Date: January 18, 2011

Page 2 of 4

#### 5

#### **FIRE FIGHTING MEASURES**

Flash Point: >212°F
Flash Point Method: CC

Wear self contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

#### 6

#### **ACCIDENTAL RELEASE MEASURES**

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Sweep Up, Place In Bag and Hold For Waste Disposal. Ventilate Area and Wash Spill Site After Material Pickup is Complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

#### 7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing; Consider normal working hygiene. Handle with

care and avoid spillage on the floor (slippage). Keep away from sources of ignition; wash

thoroughly after handling.

Storage Requirements: Store out of reach of children; keep container closed; store in a cool well-ventilated place

away from strong oxidizing or alkaline product.

#### 8

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** Normal room ventilation is satisfactory for limited use.

Protective Equipment: HMIS PP, B | Safety glasses, Gloves

**Exposure Guidelines/Other:** No OSHA PEL established for listed chemicals.

#### 9

#### PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Green

Physical State:PowderBoiling Point:N/DOdor:SlightFreezing/Melting Pt.:N/D

pH: 9.2 - 9.8 @ 1% Solution Solubility: Soluble Vapor Pressure: N/D Spec Grav./Density: N/A

Vapor Density: N/D

# MSDS Material Safety Data Sheet



### **Axiom Clean Powder Detergent**

MSDS Number: S779 Revision Date: January 18, 2011

Page 3 of 4

#### 10 STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions.

Conditions to avoid: None Known

Materials to avoid (incompatability): None Known

Hazardous Decomposition products: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids,

and other unidentified thermal decomposition products from this product or its

packaging.

Hazardous Polymerization: Will not occur.

#### 11 TOXICOLOGICAL INFORMATION

#### **Toxicity Data:**

Sodium Carbonate 497-19-8

Oral (LD 50): 4090 mg/kg - Rat

Inhalation (LC 50): 2300 mg/m3/2H - Rat

Skin irritation: Mild - Rabbit

Eye irritation: Moderate - Rabbit

Sensitation: Not considered an occupational sensitizer

#### 12 ECOLOGICAL INFORMATION

Refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

#### 13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

#### 14 TRANSPORT INFORMATION

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.

#### 15 REGULATORY INFORMATION

COMPONENT / (CAS/PERCENT) / CODES

\_\_\_\_\_\_

\*Sodium Carbonate (497198 <14%) TSCA, WHMIS

REGULATORY KEY DESCRIPTIONS

-----

All components are listed on TSCA

WHMIS = Workforce Hazardous Material Information System (Canada)





### **Axiom Clean Powder Detergent**

MSDS Number: S779 Revision Date: January 18, 2011

Page 4 of 4

#### 16

#### **OTHER INFORMATION**

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager Phone Number: [480] 899-7000

**END OF MSDS DOCUMENT**