



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: MAXIM FINE FABRIC
CP03

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 3-1-05 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 2 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

<u>PRINCIPLE HAZARDOUS INGREDIENTS :</u>	<u>Oral LD</u>	<u>Dermal LD</u>	<u>TLV</u>	<u>%</u>
Odorless Mineral Spirits (CAS#64742-48-9)			100ppm	45-60%
Isopar M Fluid (CAS#64742-47-8)	N/A	N/A	N/A	30-45%
Petroleum Distillates (CAS#8052-41-3)	N/A	N/A	N/A	4-10%

SECTION 3: PHYSICAL DATA

Boiling Point (°F)..... 354-372° F	Specific Gravity(H ₂ O=1)..... 5
Vapor Pressure (mmHg.)..... 1 at 68° F (approx.)	(calculated)
Vapor Density (AIR=1)..... Not available	Percent Volatile by Volume... Not available
Solubility in Water.....Less than .01% at 77° F	PH (1% Solution).....Not available

Appearance & Odor.....Clear, little or no color - Slight Alyphatic Solvent odor

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: 133° F

Extinguishing Media: Foam, Dry Chemical or water spray

Special Fire Fighting Procedures: Use water spray to cool fire exposed surfaces and to protect personnel

Unusual Fire and Explosion Hazards: This liquid is volatile and gives off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode.

Stability: Stable

Chemical Incompatibility: Strong oxidizing agents

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: Not applicable

Conditions to Avoid: Open flames, sparks, electric arcs. Moderate risk of peroxide formation.

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry Eyes? No Skin? Yes Inhalation? Yes Ingestion? Yes
Health Hazards: Eyes - Slightly irritating but does not injure eye tissue.
Skin - Frequent or prolonged contact may irritate and cause dermatitis. Skin contact may aggravate an existing dermatitis condition.
Inhalation - High vapor concentrations (greater than 1000 ppm) are irritating to the respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects including death.
Ingestion - Small amounts aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury, possibly progressing to death.
NTP? no OSHA? no IARC Nonograph? no
Carcinogenicity:

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes..... Flush with large amounts of water. Get medical attention if irritation occurs.
Skin..... Wash with soap and water. Remove contaminated clothing and launder before reuse.
Inhalation.. Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Get immediate medical attention.
Ingestion.. Do not induce vomiting. Seek immediate medical attention.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection... If exposed to vapors, use of NIOSH/MSHA approved respirator is recommended.
Protective Clothing..... In situations where contact may occur wear safety glasses with side shields (or goggles), long sleeves and chemical resistant gloves.
Ventilation..... Store and use in well ventilated areas.
Storage..... Keep container closed. Store in a cool, well ventilated place away from open flame, heat or other sources of ignition. Protect material from direct sunlight. Use proper grounding procedures.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Prevent from entering sewers or water drainage system (storm sewers or gutters). For large spills, contain with sand or earth or non-combustible absorbent material and collect for reuse or disposal.

All disposal must be in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not Applicable N/D = Not Determined N/E = Not Established