



MATERIAL SAFETY DATA SHEET

PRODUCT NAME:ULTRASONIC POWERED DETERGENT
CR09

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 4-9-05 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 0 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :

None

SECTION 3: PHYSICAL DATA

| | |
|--|--|
| Boiling Point (°F).....N/A | Specific Gravity(H ₂ O=1).....N/A |
| Vapor Pressure (mmHg.).....N/A | Percent Volatile by Volume... N/A |
| Vapor Density (AIR=1).....N/A | PH (1% Solution).....9.5 |
| Solubility in Water.....Greater than 10% | |

Appearance & Odor.....White powder with cream colored flakes, odorless

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: N/A

Extinguishing Media: Water, CO₂, dry chemical, foam, sand/earth

Special Fire Fighting Procedures: Self contained breathing apparatus and complete protective clothing

Unusual Fire and Explosion Hazards: None

Stability: Stable

Chemical Incompatibility: Strong Acids

Hazardous Decomposition or Byproducts: May release CO₂ gas when burning

Hazardous Polymerization: Will not occur

Conditions to Avoid: None

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry Eyes? no Skin? no Inhalation? yes Ingestion? yes
Health Hazards: Eyes - May cause irritation
 Skin - May cause irritation
 Inhalation - May irritate mucous membranes
 Ingestion - May irritate stomach and intestines and/or cause diarrhea
Carcinogenicity: NTP? no OSHA? no IARC Monograph? no

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes..... Flush with plenty of water for 15 minutes. Get medical attention if irritation occurs
Skin..... Wash with soap and water. Get medical attention if irritation occurs
Inhalation.. Remove to fresh air
Ingestion... Drink large amounts of water. Get medical attention if irritation occurs

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection... Dust mask
Protective Clothing..... None normally needed
Ventilation..... Normal room ventilation should suffice
Storage..... Store in dry area to prevent caking

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Sweep up for reuse when possible. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. **All disposal must be in accordance with all federal, state and local regulations.**

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established