

# **MATERIAL SAFETY DATA SHEET**

## PRODUCT NAME: ULTRASONIC RINSE AND DRY CR11

## **SECTION 1: PRODUCT INFORMATION**

<u>Distributed By:</u> Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123 Company Phone Number: 801-261-1282 Emergency Phone Number: 1-800-535-5053 (Infotrac) Date Prepared: 4-9-05 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme) Fire: 0 Health: 1 Reactivity:0

## **SECTION 2: INGREDIENTS**

PRINCIPLE HAZARDOUS INGREDIENTS :	<u>Oral LD</u>	Dermal LD	TLV	<u>%</u>
Sodium Metasilicate	N/A	N/A	N/A	1.71

## SECTION 3: PHYSICAL DATA

Boiling Point (°F).....212 Vapor Pressure (mmHg.)....76 Omm Vapor Density (AIR=1).....N/A Solubility in Water.....Infinite Specific Gravity(H<sub>2</sub>O=1)......8.6#/Gal Percent Volatile by Volume... 84% PH (1% Solution).....7.5

Appearance & Odor......Water white with lemon fragrance

## SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: Non-flammable Extinguishing Media: None required Special Fire Fighting Procedures: None required Unusual Fire and Explosion Hazards: None Stability: Stable Chemical Incompatibility: None known Hazardous Decomposition or Byproducts: None known Hazardous Polymerization: Will not occur Conditions to Avoid: None known

#### PRODUCT NAME......ULTRASONIC RINSE & DRY CR11

#### SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry	Eyes? no Skin? no Inhalation? no Ingestion? no
Health Hazards:	Eyes - May cause irritation
	Skin - May cause irritation
	Inhalation - May cause irritation
	Ingestion - May cause irritation
Carcinoginicity:	NTP? no OSHA? no IARC Monograph? no

#### SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes	Get medical attention if irritation occurs
Skin	Get medical attention if irritation occurs
Inhalation	Get medical attention if irritation occurs
Ingestion	Get medical attention if irritation occurs

#### SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection	None required
Protective Clothing	Rubber gloves & side shield safety glasses recommended
Ventilation	Standard room ventilation should suffice
Storage	Store in original container - closed when not in use

#### SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Contain with chemical absorbent material. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. <u>All</u> **disposal** <u>must be</u> in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.