

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: DRY CLEANING PRESPRAY CU57

SECTION 1: PRODUCT INFORMATION

<u>Distributed By:</u> Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123 Company Phone Number: 801-261-1282 Emergency Phone Number: 1-800-535-5053 (Infotrac) Date Prepared: 4-9-05 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme) Fire: 2 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :	TLV	<u>%</u>
Odorless Mineral Spirits (CAS# 64742-48-9)	300ppm	50 - 60%
DPM Glycol Ether (CAS# 34590-94-8) d-Limonene (CAS# 5989-27-5)	100ppm N/E	25 - 35% 3 - 5%

SECTION 3: PHYSICAL DATA

Boiling Point (°F)354°	Specific Gravity($H_2O=1$)(.8 at $60^{\circ}F$)
Vapor Pressure (mmHg.)1 at 68°F (approx.)	Percent Volatile by Volume100%
Vapor Density (AIR=1)5.1	PH (1% Solution)N/A
Solubility in WaterN/A	

Appearance & Odor.....Clear liquid with slight odor

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: 130°F

Extinguishing Media: Use water spray to cool exposed surfaces and to protect personnel. Use foam, dry chemical or water spray to extinguish fire. Avoid spraying water directly into storage containers due to danger of boil over.
Special Fire Fighting Procedures: Use Helmet with face shield, bunker coat, gloves and rubber boots. Use NIOSH approved positive pressure self-contained breathing apparatus.
Unusual Fire and Explosion Hazards: This liquid may give off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode.
Stability: Stable under recommended storage conditions.
Chemical Incompatibility: Oxidizing agents.
Hazardous Decomposition or Byproducts: In a fire - Carbon Monoxide, CO2 and other unidentified toxic and/or irritating compounds.
Hazardous Polymerization: Will not occur
Conditions to Avoid: Oxidizers, heat and open flame

PRODUCT NAME......DRY CLEANING PRESPRAY CU57 SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry Health Hazards:	Eyes? no Skin? no Inhalation? yes Ingestion? yes Eyes - Will likely cause eye irritation but does not injure eye tissue. Skin - May cause irritation.	
	Inhalation - Irritates respiratory tract. Acute overexposure (greater than 1000 ppm) can cause headaches, dizziness, anesthesia,	
	drowsiness, unconsciousness and other very serious central nervous system effects.	
	Ingestion - Harmful or fatal if swallowed. Can cause abdominal irritation, nausea, vomiting and diarrhea.	
Carcinoginicity:	NTP? no OSHA? no IARC Monograph? no	

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes Skin	Flush with large amounts of water for 15 minutes. Get medical attention. Flush with large amounts of water. Wash with soap and water. Clean clothing
	before reuse.
Inhalation	Remove to fresh air. Administer artificial respiration if not breathing. Get
	immediate medical attention.
Ingestion	Do not induce vomiting. Keep at rest. Get immediate medical attention.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection Protective Clothing	NIOSH/MSHA approved respirator recommended. Wear safety glasses with side shields or goggles. Wear clothing that will prevent skin contact and rubber gloves.
Ventilation Storage	Mechanical ventilation recommended. Keep container closed. Store in cool, well ventilated place away from incompatible materials. Keep away from flame, heat or other sources of ignition. Protect from direct sunlight. Do not reuse empty containers. Do not pressurize, cut, heat, or weld empty contianers.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Eliminate sources of ignition. Prevent additional discharge of material if possible. For small spills, use chemical absorbent material and sweep up for disposal. For large spills, contain with non-combustible material and collect for reuse or disposal. Prevent from entering sewers, watercourses or low areas. **All disposal must be in accordance with all federal, state and local regulations.**

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

 $\overline{N/A} = Not applicable N/D = Not determined N/E = Not established$